

# Virus Bulletin

Covering the global threat landscape

## VB100 TEST REPORT



Emsisoft

## Emsisoft Anti-Malware



March 21, 2025



Test result  
**Test passed**



Detection grade  
**Grade A**



Certification  
**99.39% malware detected**



Clean  
**0.000% false alarms**

## Quick Summary

Product version

**2025.3.0.12667**

Test date:

**March 4, 2025**

Test methodology

**VB100 1.7** [Link](#)

Test platform

**Microsoft Windows 11 Pro, 64-bit, 10.0.26100**

March 21, 2025

# VB100 TEST REPORT

## Executive summary

We tested **Emsisoft Anti-Malware** (version 2025.3.0.12667) on March 4, 2025, on Microsoft Windows 11 Pro, 64-bit, 10.0.26100, as per the 1.7 version of the VB100 methodology.

**The tested product has successfully met the VB100 test criteria, with a malware detection grade of A.**

### Test criteria:

- The product must detect at least 75.00% of all test cases in the Certification set (malicious samples).
- The product must not generate more than 0.05% false alarms in the Clean set (legitimate program samples).

## Where to find more details

For detailed test results, please consult the rest of the report. You may also find the links below useful for up-to-date information on how to interpret the report data.

- **Report reader's guide** [Link](#)  
Everything you find in this report, explained.
- **Testing methodology, version 1.7** [Link](#)  
Learn exactly how we test.
- **VB100 on the web** [Link](#)  
VB100 news and certified products.





## AMTSO Standard Compliance

Virus Bulletin executed this test in accordance with the AMTSO Standard of the Anti-Malware Testing Standards Organization. The compliance status can be verified on the [AMTSO website](#).

## Test sets and product response

The VB100 test uses multiple sets of malicious and clean test cases to verify the ability of the tested product to detect malware, and to do so without generating false alarms for legitimate programs.

### AT A GLANCE

CERTIFICATION	CLEAN
Description	Description
Common and prevalent Windows malware recently observed in the the wild.	A random selection of some widely and less widely used legitimate program files.
Type	Type
	
Outcome	Outcome
<b>Pass</b> 	<b>Pass</b> 
Detection rate	False alarm rate
<b>99.39%</b>	<b>0.000%</b>
Best possible outcome: 100.00% Requirement: >= 75.00%	Best possible outcome: 0.00% Requirement: <= 0.05%

### DETAILED TEST RESULTS

Total cases tested	Total cases tested
<b>2,127</b>	<b>100,000</b>
Cases detected	Cases with false alarm
<b>2,114</b>	<b>0</b>
Cases missed	Cases without false alarm
<b>13</b>	<b>100,000</b>

### TEST SET COMPOSITION

Windows PE executables	Windows PE executables
<b>2,127</b>	<b>29,663</b>
Other file types	Other file types
<b>0</b>	<b>70,337</b>

## Report notes

Report notes contain complementary information that may be of interest to the report reader. Likewise, any extraordinary circumstance—particularly, those that may affect the test results—are recorded in these notes.

1

All measurements in this report are based on-demand scanning of samples, either because the product does not offer real-time protection, or its real-time protection is not compatible with the VB100 test methodology. No further information is available at this time.

**Virus Bulletin Ltd**Manor House, Office 6,  
Howbery Business ParkWallingford OX10 8BA,  
United Kingdom

+44 20 3920 6348

editorial@virusbulletin.com

<https://www.virusbulletin.com/>**Head of Testing:** Péter Karsai**Security Test Engineers:** Adrian  
Luca, Csaba Mészáros, Ionuț  
Răileanu, Bálint Tanos**Sales Executive:** Allison Sketchley**Editorial Assistant:** Helen Martin